





PubMed	····	Protein	Genome	Structure	PopSet	Taxonomy	OMIM
Search Pro				36 7	117		ear .
Sec.	Limits			ory Clipbo	pard	7.7	
Display	Default View	▼as HTM	L ▼ S	ave Add	to Clipboard	PERSONAL	1

☐ 1: <u>P54926</u> **MYO-INOSITOL-1(OR**

្ត **1**

BLink, PubMed, Related Sequences, Taxonomy

4)-MONOPHOSPHATASE 1 (IMPASE 1) (IMP 1) (INOSITOL

MONOPHOSPHATASE 1)

LOCUS MYO1_LYCES 273 aa PLN 01-OCT-2000

DEFINITION MYO-INOSITOL-1(OR 4)-MONOPHOSPHATASE 1 (IMPASE 1) (IMP 1) (INOSITOL

MONOPHOSPHATASE 1).

ACCESSION P54926 PID g1709203

VERSION P54926 GI:1709203

DBSOURCE swissprot: locus MYO1_LYCES, accession P54926;

class: standard. created: Oct 1, 1996.

sequence updated: Oct 1, 1996. annotation updated: Oct 1, 2000.

xrefs: gi: gi: 1098976, gi: gi: 1098977

xrefs (non-sequence databases): HSSP P29218, InterPro IPR000760,

Pfam PF00459, PRINTS PR00378, PROSITE PS00629, PROSITE PS00630

KEYWORDS Hydrolase; Magnesium; Lithium; Multigene family.

SOURCE tomato.

ORGANISM Lycopersicon esculentum

Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots; Asteridae; euasterids

I; Solanales; Solanaceae; Solanum; Lycopersicon.

REFERENCE 1 (residues 1 to 273)

AUTHORS Gillaspy, G.E., Keddie, J.S., Oda, K. and Gruissem, W.

TITLE Plant inositol monophosphatase is a lithium-sensitive enzyme

encoded by a multigene family

JOURNAL Plant Cell 7 (12), 2175-2185 (1995)

MEDLINE 96351935

REMARK SEQUENCE FROM N.A.

STRAIN=CV. VFNT CHERRY

COMMENT

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. The original entry is available from http://www.expasy.ch/sprot and http://www.ebi.ac.uk/sprot

[FUNCTION] IT IS RESPONSIBLE FOR THE PROVISION OF INOSITOL REQUIRED FOR SYNTHESIS OF PHOSPHATIDYLINOSITOL AND POLYPHOSPHOINOSITIDES.
[CATALYTIC ACTIVITY] MYO-INOSITOL 1-MONOPHOSPHATE + H(2)O =

MYO-INOSITOL + ORTHOPHOSPHATE.

[COFACTOR] REQUIRES MAGNESIUM (BY SIMILARITY).

[ENZYME REGULATION] INHIBITED BY LI(+).

[PATHWAY] KEY ENZYME OF THE PHOSPHATIDYL INOSITOL SIGNALING

PATHWAY.


[SIMILARITY] BELONGS TO THE INOSITOL MONOPHOSPHATASE FAMILY.

FEATURES

Location/Qualifiers

source

1..273
/organism="Lycopersicon esculentum"



```
/db_xref="taxon:4081"
1..273
1..273
/product="MYO-INOSITOL-1(OR 4)-MONOPHOSPHATASE 1"
/EC_number="3.1.3.25"

ORIGIN

1 marngsleef lgvavdaakr ageiirkgfh etkhvvhkgq vdlvtetdka cedlifnhlk
61 qhfpshkfig eetsaatgdf dltdeptwiv dpvdgttnfv hgfpsvcvsi gltigkiptv
121 gvvydpiide lftgingkga ylngkpikvs sqselvksll gtevgttrdn ltvetttrri
181 nnllfkvrsl rmcgscaldl cwvacgrlel fyligyggpw dvaggavivk eaggvlfdps
241 gsefditsqr vaatnphlke afvealqlse yvs
```

Restrictions on Use | Write to the HelpDesk NCBI | NLM | NIH





PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM
Search Pro	otëin 🔻 for		eti.	The second second		Gol C	lear i
	Limits	transconduction of the contract of the contrac	and the second s	ory Clipb	oard	all A partie	
Display	Default View	▼as HTM	L ▼S	ave Add	to Clipboard	energy Augustia	

1: P74158 EXTRAGENIC SUPPRESSOR BLink, PubMed, Related Sequences, Taxonomy PROTEIN SUHB HOMOLOG

```
LOCUS
            SUHB SYNY3
                           287 aa
                                                     ·BCT
                                                                15-DEC-1998
            EXTRAGENIC SUPPRESSOR PROTEIN SUHB HOMOLOG.
DEFINITION
ACCESSION
            P74158
            g3915048
PID
VERSION
            P74158 GI:3915048
            swissprot: locus SUHB_SYNY3, accession P74158;
DBSOURCE
            class: standard.
            created: Dec 15, 1998.
            sequence updated: Dec 15, 1998.
            annotation updated: Dec 15, 1998.
            xrefs: gi: gi: 1653228, gi: gi: 1653332
            xrefs (non-sequence databases): PFAM PF00459, PROSITE PS00629,
            PROSITE PS00630
KEYWORDS
SOURCE
            Synechocystis PCC6803.
  ORGANISM
            Synechocystis PCC6803
            Bacteria; Cyanobacteria; Chroococcales; Synechocystis.
REFERENCE
               (residues 1 to 287)
            KANEKO, T., SATO, S., KOTANI, H., TANAKA, A., ASAMIZU, E., NAKAMURA, Y.,
  AUTHORS
            MIYAJIMA, N., HIROSAWA, M., SUGIURA, M., SASAMOTO, S., KIMURA, T.,
            HOSOUCHI, T., MATSUNO, A., MURAKI, A., NAKAZAKI, N., NARUO, K.,
            OKUMURA, S., SHIMPO, S., TAKEUCHI, C., WADA, T., WATANABE, A.,
            YAMADA, M., YASUDA, M. and TABATA, S.
  TITLE
            Sequence analysis of the genome of the unicellular cyanobacterium
            Synechocystis sp. strain PCC6803. II. Sequence determination of the
            entire genome and assignment of potential protein-coding regions
  JOURNAL
            DNA Res. 3 (3), 109-136 (1996)
  MEDLINE
            97061201
  REMARK
            SEQUENCE FROM N.A.
COMMENT
            This SWISS-PROT entry is copyright. It is produced through a
            collaboration between the Swiss Institute of Bioinformatics and
            the EMBL outstation - the European Bioinformatics Institute.
            The original entry is available from http://www.expasy.ch/sprot
            and http://www.ebi.ac.uk/sprot
            [SIMILARITY] BELONGS TO THE INOSITOL MONOPHOSPHATASE FAMILY.
FEATURES
                     Location/Qualifiers
                     1..287
     source
                     /organism="Synechocystis PCC6803"
                     /db xref="taxon:1148"
                     1..\overline{2}87
                     1..287
     Protein
                     /product="EXTRAGENIC SUPPRESSOR PROTEIN SUHB HOMOLOG"
ORIGIN
        1 mtsaqkpvfs psdlqtwlei ateavlaaga eifslwgkvq qiqekqraqd lvteadrqae
       61 aiileiikrr cpdhailaee sgqlgqvdnp fcwaidpldg ttnfahsypv scvsiglliq
      121 diptvgvvyn pfrqelfraa tslgatlnrr piqvsttasl dksllvtgfa ydrvktldnn
      181 ypefcylthl tqgvrrsgsa aidlidvacg rldgywergi npwdmaagiv ivreaggivs
      241 aydcspldls tgrilatngk ihqelsqala atpgwfqqya aaraqki
//
```





PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM
Search Pro	otein ▼ for				A. A. C. Start	- '+' G 6 €	lear .
BUTINESS.	Limit	s Inde	x Hist	ory Clipbo	pard	经供款公司制	
Display	Default View	▼as HTM	L VS	ave Add	to Clipboard		74 2

1: BAA17860 extragenic BLink, PubMed, Related Sequences, Nucleotide, Genome, Ta suppressor [Synechocystis

sp.]

```
07-FEB-1999
            BAA17860
                           267 aa
LOCUS
DEFINITION
            extragenic suppressor [Synechocystis sp.].
            BAA17860
ACCESSION
            g1652942
PID
            BAA17860.1 GI:1652942
VERSION
DBSOURCE
            locus D90909 accession D90909.1
KEYWORDS
SOURCE
            Synechocystis sp.
  ORGANISM
            Synechocystis sp.
            Bacteria; Cyanobacteria; Chroococcales; Synechocystis.
REFERENCE
                (sites)
  AUTHORS
            Kaneko, T., Sato, S., Kotani, H., Tanaka, A., Asamizu, E., Nakamura, Y.,
            Miyajima, N., Hirosawa, M., Sugiura, M., Sasamoto, S., Kimura, T.,
            Hosouchi, T., Matsuno, A., Muraki, A., Nakazaki, N., Naruo, K.,
            Okumura, S., Shimpo, S., Takeuchi, C., Wada, T., Watanabe, A.,
            Yamada, M., Yasuda, M. and Tabata, S.
            Sequence analysis of the genome of the unicellular cyanobacterium
  TITLE
            Synechocystis sp. strain PCC6803. II. Sequence determination of the
            entire genome and assignment of potential protein-coding regions
            DNA Res. 3 (3), 109-136 (1996)
  JOURNAL
            97061201
  MEDLINE
               (residues 1 to 267)
REFERENCE
  AUTHORS
            Tabata, S.
            Direct Submission
  TITLE
            Submitted (28-JUN-1996) Satoshi Tabata, Kazusa DNA Research
  JOURNAL
            Institute, Laboratory of Gene Structure 2; 1523-3, Yanauchino,
            Kisarazu, Chiba 292, Japan (E-mail:tabata@kazusa.or.jp,
            Tel:+81-438-52-3933, Fax:+81-438-52-3934)
            Potential protein coding regions were assigned on the basis of
COMMENT
            similarity search of the ORFs and GeneMark analysis.
FEATURES
                      Location/Qualifiers
                      1..267
     source
                      /organism="Synechocystis sp."
                      /strain="PCC6803"
                      /db xref="taxon:1143"
                      1..\overline{2}67
     Protein
                      /product="extragenic suppressor"
     CDS
                      1..267
                      /gene="suhB"
                      /coded_by="complement(D90909.1:98953..99756)"
                      /transl table=11
                      /note="ORF ID:sll1959"
ORIGIN
        1 mlpeveqrlf iaqqlaavsg eiliqyfrrs hlqggtkidq vsaivtqade eaeqamvdli
       61 qaqfpqdgvi reegkniagk sgytwvldpi dgtssfvrgl pifatliglv dadmrpvlgi
      121 ahqpisgdrw qgvqgeqsnv ngiplvnpyk aseinltaac ivsttplmft tpvqqqkmad
      181 iyrqcqrtaf ggdcfnylsa asgwtamplv iveadlnfyd fcalipiltg anycftdwqg
      241 keltpestev vaspnpklhs eilaflq
//
```







	Nucleotide		Genome	Structure	PopSet	Taxonomy	OMIM
Search Pro	tein≀ ▼ for			Militaria (n. 1866). Militaria	A.	Go C	lear
	Limit		and the second second	No. 7-15 Carlo Santa	oard	The Deep Control	
Display,	Default View	▼ as HTM	L VS	ave Add	to Clipboard	47.4	1.00

☐ 1: <u>P54928</u> **MYO-INOSITOL-1(OR**

BLink, PubMed, Related Sequences, Taxonomy

4)-MONOPHOSPHATASE 3

(IMPASE 3) (IMP 3)

(INOSITOL

MONOPHOSPHATASE 3)

LOCUS MYO3 LYCES 268 aa PLN01-OCT-2000

DEFINITION MYO- $\overline{1}$ NOSITOL-1(OR 4)-MONOPHOSPHATASE 3 (IMPASE 3) (IMP 3) (INOSITOL

MONOPHOSPHATASE 3).

ACCESSION P54928 PID g1709205

VERSION P54928 GI:1709205

DBSOURCE swissprot: locus MYO3 LYCES, accession P54928;

> class: standard. created: Oct 1, 1996.

sequence updated: Oct 1, 1996. annotation updated: Oct 1, 2000.

xrefs: gi: gi: 1098970, gi: gi: 1098971

xrefs (non-sequence databases): HSSP P29218, InterPro IPR000760,

Pfam PF00459, PRINTS PR00378, PROSITE PS00629, PROSITE PS00630

KEYWORDS Hydrolase; Magnesium; Lithium; Multigene family.

SOURCE tomato.

ORGANISM Lycopersicon esculentum

Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots; Asteridae; euasterids

I; Solanales; Solanaceae; Solanum; Lycopersicon.

REFERENCE (residues 1 to 268)

AUTHORS Gillaspy, G.E., Keddie, J.S., Oda, K. and Gruissem, W.

TITLE Plant inositol monophosphatase is a lithium-sensitive enzyme

encoded by a multigene family

JOURNAL Plant Cell 7 (12), 2175-2185 (1995)

MEDLINE 96351935

SEQUENCE FROM N.A. REMARK

STRAIN=CV. VFNT CHERRY

COMMENT

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. The original entry is available from http://www.expasy.ch/sprot

and http://www.ebi.ac.uk/sprot

[FUNCTION] IT IS RESPONSIBLE FOR THE PROVISION OF INOSITOL REQUIRED FOR SYNTHESIS OF PHOSPHATIDYLINOSITOL AND POLYPHOSPHOINOSITIDES.

[CATALYTIC ACTIVITY] MYO-INOSITOL 1-MONOPHOSPHATE + H(2)O =

MYO-INOSITOL + ORTHOPHOSPHATE.

[COFACTOR] REQUIRES MAGNESIUM (BY SIMILARITY).

[ENZYME REGULATION] INHIBITED BY LI(+).

[PATHWAY] KEY ENZYME OF THE PHOSPHATIDYL INOSITOL SIGNALING

PATHWAY.

[SIMILARITY] BELONGS TO THE INOSITOL MONOPHOSPHATASE FAMILY.

FEATURES

Location/Qualifiers

source 1..268

/organism="Lycopersicon esculentum"



```
/db_xref="taxon:4081"
1..268
Protein 1..268
/product="MYO-INOSITOL-1(OR 4)-MONOPHOSPHATASE 3"
/EC_number="3.1.3.25"

ORIGIN

1 maqngsveqf ldvaveaakk ageiiregfy ktkhvehkgm vdlvtetdka cedfifnhlk
61 qrfpshkfig eettaacgnf eltdeptwiv dpldgttnfv hgfpfvcvsi gltiekkptv
121 gvvynpiide lftgidgkga flngkpikvs sqselvkall ateagtnrdk lvvdattgri
181 nsllfkvrsl rmcgscalnl cgvacgrldl fyelefggpw dvaggavivk eaggfvfdps
241 gsefdltarr vaatnahlkd afikalne
```

Restrictions on Use | Write to the HelpDesk NCBI | NLM | NIH

2 of 2

Later Harman Commence